

### WE ARE ON THE ROADS

For a cleaner world...

# IN ORDER TO INHERIT WHAT WE INHERITED FROM NATURE...

As PILOTCAR, we are proud of producing Turkey's first electric utility vehicles on this road we embarked on in 2011 and our initiatives that opened up to the world, while challenging our imagination to transform the world into a more beautiful place.

We think that it is our greatest responsibility to future generations and the world we live in, to make efforts to erase these traces before they reach an irreversible point.

We believe that our motivation to produce positive solutions and our successful initiatives will inspire future generations for a more livable world. Therefore, we transfer our knowledge and experience to sustainable energy in order to reduce carbon emissions, protect our future and leave a cleaner legacy for future generations.

New ideas and changing needs excite us. Offering environmentally friendly technology and high performance, our vehicles are designed and produced to suit your needs and demands. They will now become an integral part of your daily life.

# SINGER STAY

### YOUNG LIKE US!

### **SUSTAINABLE LIFE**

PILOTCAR is developed in such a way that, while offering you practical solutions in your daily work and social life; at the same time it is responsive for the environment which we are a part of. It is an important actor of the concept of sustainable life which is necessary for all living things.

### "0" EMISSION

For protecting the environment and a more livable world, PILOTCAR manufactures only 100% Electric Vehicles.

### WHY PILOTCAR?

Our choices that change within the axis of developing technology and transforming life standards, promotes us to use Electric Vehicles.

### REWRITE THE **RULES!** Powered by electricity, the PC-2 rewrites the rules of the game with its dynamic, fun and sporty spirit. PILOTCAR PELOYEAR



### LITHIUM BATTERY PACK

Longer range, shorter charging time



### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption



### 55.9 mi (90 km) RANGE

55.9 mi (90 km )range with full charge



### SOLID & AESTHETIC

With the dynamic and elegant design, all eyes are on you



### "0" EMISSION

100% electrical, environmentally friendly



### AC MOTOR

Clean environment, high performance





## ADVANCED TECHNOLOGY AND ELEGANCE TOGETHER

It's time to escape the monotonous routine and reach the pinnacle of luxury and comfort.

Equipped with unique details of exceptional design and tailored to your needs, the PC 2+2 offers you an experience that goes beyond the ordinary.






### AN EXCEPTIONAL COMPANION

Discover your limits with the PC-2 Lifted, engineered for power and performance, passing the toughest tests in every adrenaline-filled adventure.





### **POWER**

ELECTRIC-48 V (AC)

	AC
	- 4 kW (5.44 hp) Rated
Motor Power	9.6 kW (13 hp) Peak
	- 6 kW (8.20 hp) Rated
	12.46 kW (16.95 hp) Peak
	- Lead-Acid Battery Package 6x8V (8.16 kWh)
Battery	- Lithium Battery Package (10.8 kWh - 5.4 kWh)
	- Littiidiii Battery Fackage (10.0 kwiii - 3.4 kwiii)
	Lead-Acid Battery Package
	Onboard Charge Unit
Ob 11-24	110-220 VAC@8 1A/48V
Charge Unit	Lithium Battery Package
	3.3 kW Onboard Charge Unit
	85-265 VAC@16A 40A/48V
Matay Cantual Unit	AC
Motor Control Unit	CURTIS (350 A-450 A)
	,

### **STEERING & SUSPENSION SYSTEM**

		E

Steering	Reduced rotating, self-compensating, no need of lubricating rack and pinion type helical gear steering box
Suspension Front	Fully independent MacPherson style strut suspension
Suspension Rear	Semi independent, swing arm with coil springs over hydraulic shock absorbers

### **BRAKE SYSTEM**



Self adjusting mechanical, rear wheel drum brakes
and regenerative braking
Option: 4-wheel hydraulic drum brake system
Foot actuated multi-lock parking brake
Option: Electromagnetic parking brake*

<sup>\*</sup> Only Available for Models w/ Hydraulic Brakes

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Red, Black, Gray
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

### PERFORMANCE



PERFORMANCE	to:
Max. Forward Speed	15 mph - 25 mph*
	(24 kph - 40 kph)*
Max. Reverse Speed	5 mph (8 kph)
	Lead-Acid Battery Package
	37 mi (60 km) **
Range	Lithium Battery Package (10.8 kWh)
9-	55.9 mi (90 km) **
	Lithium Battery Package (5.4 kWh)
	24.8 mi (40 km) **
Max. Gradeability	25%
	Lead-Acid Battery Package
	80% - 6 hrs
	100% - 8 hrs
	Lithium Battery Package (10.8 kWh)
Charge Time	80% - 4 hrs
	100% - 6 hrs
	Lithium Battery Package (5.4 kWh)
	80% - 2 hrs
	100% - 3 hrs
Turning Radius	9.8 ft (3 m)

### **GENERAL**



Curb Weight	Lead-Acid Battery Package: 1036 lb (470 kg) * Lithium Battery Package: 886 lb (402 kg) *
Danaan Oanaaitaa	1+1 Passenger
Passenger Capacity	1+3 Passengers
Load Capacity	881 lb (400 kg)
Towing Capacity	1102 lb (500 kg)
	18 x 8.5-8 (6-ply Turf tyres)
Tyre Dimensions	20.5 x 8-10 (6 ply)
	22 x 9.50-10 Off-Road Tyre**

<sup>\*</sup> Standard Vehicle w/ batteries

### **DIMENSIONS**

Standart Vehicle w/o Options



Length	94.2 in (2395 mm)
Width	47.8 in (1215 mm)
Height	77.3 in (1965 mm)* 47.2 in (1200 mm)**
Wheelbase	64.5 in (1640 mm)
<b>Ground Clearance</b>	4.3 in (110 mm)
* w/ Sunton	

<sup>\*</sup> w/ Suntop

### WARRANTY



Warranty	2 years full warranty (Except wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance @ min. 4000 cycles for
	lithium battery package

<sup>\*\*</sup> Available only w/ lift kit option

<sup>\*\*</sup> w/o Suntop





### LITHIUM BATTERY PACK

Longer range, shorter charging time



### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption



### 50 mi (80 km) RANGE

50 mi (80 km) range with full charge



### SOLID & AESTHETIC

With the dynamic and elegant design, all eyes are on you



### "0" EMISSION

100% electrical, environmentally friendly



### AC MOTOR

Clean environment, high performance





# A JOURNEY TO THE PINNACLE OF STYLE


Get ready to step out of your everyday life and plunge into a world of dazzling design and high performance.





# POWER AND PERFORMANCE EMBEDDED IN ITS DNA

Built with power and performance in its DNA, PC-4 LIFTED will give you every second of freedom and allow you to push your limits.



### **POWER** ELECTRIC-48 V (AC)



Motor Power	AC - 4 kW (5.44 hp) Rated 9.6 kW (13 hp) Peak - 6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak - 10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak	
Battery	- Lead-Acid Battery Package 8x6V (11.52 kWh) - Lithium Battery Package (10.8 kWh - 5.4 kWh)	
Charge Unit	Lead-Acid Battery Package Onboard Charge Unit 110-220 VAC@8 1A/48V Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V	
Motor Control Unit	<b>AC</b> CURTIS (350 A-600 A)	_

### **STEERING & SUSPENSION SYSTEM**



Steering	Reduced rotating, self-compensating, no need of lubricating rack and pinion type helical gear steering box
Suspension Front	Fully independent MacPherson style strut suspension
Suspension Rear	Semi independent, swing arm with coil springs over hydraulic shock absorbers

### **BRAKE SYSTEM**



Self adjusting mechanical, rear wheel drum brakes
and regenerative braking
Option: 4-wheel hydraulic drum brake system
Foot actuated multi-lock parking brake
Option: Electromagnetic parking brake*

<sup>\*</sup> Only Available for Models w/ Hydraulic Brakes

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Red, Black, Gray
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

### DEDECRIANCE



Ę o.
15 mph - 28 mph* (24 kph - 45 kph)*
5 mph (8 kph)
Lead-Acid Battery Package
50 mi (80 km) **
Lithium Battery Package (10.8 kWh)
50 mi (80 km) **
Lithium Battery Package (5.4 kWh)
24,8 mi (40 km) **
25%
Lead-Acid Battery Package
80% - 7 hrs
100% - 9 hrs
Lithium Battery Package (10.8 kWh)
80% - 4 hrs
100% - 6 hrs
Lithium Battery Package (5.4 kWh)
80% - 2 hrs

14.1 ft (4.3 m)

**Turning Radius** 

### **GENERAL**



Lead-Acid Battery Package: 1421 lb (645 kg) * Lithium Battery Package: 1124 lb (510 kg) *
1+3 Passenger
1+5 Passenger
1323 lb (600 kg)
2205 lb (1000 kg)
18 x 8.5-8 (6-ply Turf tyres)
20.5 x 8-10 (6 ply)
22 x 9.50-10 Off-Road Tyre**

<sup>\*</sup> Standard Vehicle w/ batteries

### **DIMENSIONS**

Standard Vehicle w/o Options



Length	127.5 in (3240 mm)
Width	47.8 in (1215 mm)
Height	77.3 in (1965 mm)* 47.2 in (1200 mm)**
Wheelbase	97.6 in (2480 mm)
Ground Clearance	4.3 in (110 mm)
t. (0. )	

<sup>\*</sup> w/ Suntop

### WARRANTY




2 years full warranty (Except wearable items)
5 years limited warranty (Motor and motor
control unit)
70% performance @ min. 4000 cycles for
lithium battery package

<sup>\*\*</sup> Available only w/ lift kit option

<sup>\*\*</sup> w/o Suntop







### THE POWER

Feel the power and comfort of the PC-6 with its performanceoriented design and high passenger capacity.

### POWER 40.1

ELECTRIC-48 V (AC)



Motor Power	AC - 6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak - 10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak
Battery	- Lead-Acid Battery Package 8x6V (11.52 kWh) - Lithium Battery Package (10.8 kWh)
Charge Unit	Lead-Acid Battery Package Onboard Charge Unit 110-220 VAC@8 1A/48V Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V
Motor Control Unit	<b>AC</b> CURTIS (350 A-600 A)

### STEERING & SUSPENSION SYSTEM



Steering	Reduced rotating, self-compensating, no need of lubricating rack and pinion type helical gear steering box
Suspension Front	Fully independent MacPherson style strut suspension
Suspension Rear	Semi independent leaf springs w/dual hydraulic shocks

### **BRAKE SYSTEM**



Service Brake	Self adjusting mechanical, rear wheel drum brakes and regenerative braking
Service blake	Option: 4-wheel hydraulic drum brake system
	Foot actuated multi-lock parking brake
Parking Brake	Option: Electromagnetic parking brake*

<sup>\*</sup> Only Available for Models w/ Hydraulic Brakes

### **BODY & CHASSIS**

PERFORMANCE



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Red, Black, Gray
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

### **GENERAL**



Curb Weight	<b>Lead-Acid Battery Package:</b> 1644 lb (746 kg) * <b>Lithium Battery Package:</b> 1347 lb (611 kg) *
Passenger Capacity	1+5 Passenger 1+7 Passenger
Load Capacity	1763 lb (800 kg)
Towing Capacity	3306 lb (1500 kg)
Tyre Dimensions	20.5 x 8-10 (6 ply)

<sup>\*</sup> Standard Vehicle w/ batteries

### **DIMENSIONS**

Standard Vehicle w/o Options




Length	159.4 in (4050 mm)	
Width	48.2 in (1225 mm)	
Height	78.7 in (2000 mm)* 48 in (1220 mm)**	
Wheelbase	130.7 in (3320 mm)	
<b>Ground Clearance</b>	5.6 in (143 mm)	
*/ C		

<sup>\*</sup> w/ Suntop

Warranty





70% performance @ min. 4000 cycles for lithium battery package





Max. Forward Speed	15 mph - 22 mph* (24 kph - 35 kph)*
Max. Reverse Speed	5 mph (8 kph)
Range	<b>Lead-Acid Battery Package:</b> 50 mi (80 km) ** <b>Lithium Battery Package:</b> 50 mi (80 km) **
Max. Gradeability	25%
	Lead-Acid Battery Package
	80% - 7 hrs
Charge Time	100% - 9 hrs
Charge Time	Lithium Battery Package
	80% - 4 hrs
	100% - 6 hrs
Turning Radius	18.3 ft (5.6 m)

<sup>\*\*</sup> w/o Suntop



### LITHIUM BATTERY PACK

Longer range, shorter charging time



### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption



### 50 mi (80 km) RANGE

50 mi (80 km) range with full charge



### **SOLID & AESTHETIC**

With the dynamic and elegant design, all eyes are on you



### "0" EMISSION

100% electrical, environmentally friendly



### AC MOTOR

Clean environment, high



THE REAL PROPERTY.



LIGHTENS YOUR LOAD

PC-W is waiting to lighten your load with environmentally friendly technology that delivers maximum performance.



# With a tailored and user-oriented approach, PC-W

Custom will shape your business life.

You tell us what you want, PILOTCAR engineering will do that!



## A MASTERPIECE WITH MOBILE KITCHEN

Get into a magical world with the PC-W Gastrocar, where taste becomes a journey.

Stay ahead of the game with PILOTCAR, the solution for your business.

### **POWER** ELECTRIC-48 V (AC)



Motor Power	AC - 6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak - 10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak
Battery	- Lead-Acid Battery Package 8x6V (11.52 kWh) - Lithium Battery Package (10.8 kWh)
Charge Unit	Lead-Acid Battery Package Onboard Charge Unit 110-220 VAC@8 1A/48V Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V
Motor Control Unit	<b>AC</b> CURTIS (350 A-600 A)

### **STEERING & SUSPENSION SYSTEM**



Steering	Reduced rotating, self-compensating, no need of lubricating rack and pinion type helical gear steering box
Suspension Front	Fully independent MacPherson style strut suspension
Suspension Rear	Semi independent leaf springs w/dual hydraulic shocks



BRAKE SYSTEM	
Service Brake	Self adjusting mechanical, rear wheel drum brakes and regenerative braking  Option: 4-wheel hydraulic drum brake system
Parking Brake	Foot actuated multi-lock parking brake  Option: Electromagnetic parking brake*

<sup>\*</sup> Only Available for Models w/ Hydraulic Brakes

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Red, Black, Gray
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

### PERFORMANCE



Mary Famuurd Coasd	15 mph - 22 mph*
Max. Forward Speed	(24 kph - 35 kph)*
Max. Reverse Speed	5 mph (8 kph)
Range	Lead-Acid Battery Package: 50 mi (80 km) ** Lithium Battery Package: 50 mi (80 km) **
Max. Gradeability	25%
	Lead-Acid Battery Package
Charge Time	80% - 7 hrs
	100% - 9 hrs
	Lithium Battery Package
	80% - 4 hrs
	100% - 6 hrs
Turning Radius	14.4 ft (4.4 m)

### **GENERAL**

Curb Weight	Lead-Acid Battery Package: 1457 lb (661 kg) * Lithium Battery Package: 1159 lb (526 kg) *
Passenger Capacity	1+1 Passenger
Load Capacity	1763 lb (800 kg)
Towing Capacity	3306 lb (1500 kg)
Tyre Dimensions	20.5 x 8-10 (6 ply) 22 x 9.50-10 Off-Road Tyre**

<sup>\*</sup> Standard Vehicle w/ batteries \*\*Available only w/ lift kit option

### **DIMENSIONS**



Standard Vehicle w/o Options	ļ
Length	143.3 in (3640 mm)
Width	51.5 in (1310 mm)
Height	76.7 in* - 48 in** - 88,5 in** (1950 mm)* - (1220 mm)** - (2250 mm)**
Wheelbase	98.4 in (2500 mm)
Ground Clearance	5.6 in (143 mm)
3-Side Open Aluminum Cargo Box	51.1 in x 70,8 in x 15,7 in (1300 mm x 1800 mm x 400 mm)
Mesh Style Sided Steel Cargo Box	48,8 in x 68,8 in x 51.1 in (1240 x 1750 x 1300 mm)
Closed Cargo Box	48,8 in x 68,8 in x 51.1 in (1240 x 1750 x 1300 mm)

### WARRANTY


Refrigerated Cargo Box



48,8 in x 68,8 in x 51.1 in

(1240 x 1750 x 1300 mm)

5 years limited warranty (Motor and motor control unit) Warranty 70% performance @ min. 4000 cycles for lithium battery package













<sup>\*</sup> w/ Suntop \*\* w/o Suntop \*\*\* Refrigerated Cargo Box

# **ALWAYS ON HAND FOR HELP** With its simple and practical handling, speed and manoeuvrability, the PC-A is specifically designed to provide the fastest response in emergency situations.

### + Li

### LITHIUM BATTERY PACK

0 0552 155 16 16 Marie

Longer range, shorter charging time



### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption



### 55,9 mi (90 km) RANGE

55,9 mi (90 km) range with full charge



### **SOLID & AESTHETIC**

With the dynamic and elegant design, all eyes are on you



### "0" EMISSION

100% electrical, environmentally friendly




### AC MOTOR

Clean environment, high performance

LITHIUM III POWERED

AMBULANCE

医腹部部






### THE FOCUS IS ON YOU

PC-A puts your health and safety first. Designed with you in mind, it is always at your side, helping you quickly and effectively whenever you need it.

It keeps you safe on the road because you always come first.



### **POWER**

ELECTRIC-48 V (AC)

	AC	
	- 4 kW (5.44 hp) Rated	
Motor Power	9.6 kW (13 hp) Peak	
	- 6 kW (8.20 hp) Rated	
	12.46 kW (16.95 hp) Peak	
Dettem	- Lead-Acid Battery Package 6x8V (8.16 kWh)	
Battery	- Lithium Battery Package (10.8 kWh 5.4 kWh)	
	Lead-Acid Battery Package	
	Onboard Charge Unit	
Charge Unit	110-220 VAC@8 1A/48V	
	Lithium Battery Package	
	3.3 kW Onboard Charge Unit	
	85-265 VAC@16A 40A/48V	
Mater Control Unit	AC	
Motor Control Unit	CURTIS (350 A-600 A)	

### **STEERING & SUSPENSION SYSTEM**



Steering	Reduced rotating, self-compensating, no need of lubricating rack and pinion type helical gear steering box
	Tack and pinion type helical geal Steering box
Suspension Front	Fully independent MacPherson style strut suspension
Suspension Rear	Semi independent, swing arm with coil springs over hydraulic shock absorbers

### **BRAKE SYSTEM**



Service Brake	Self adjusting mechanical, rear wheel drum brakes and regenerative braking  Option: 4-wheel hydraulic drum brake system
Parking Brake	Foot actuated multi-lock parking brake  Option: Electromagnetic parking brake*

<sup>\*</sup> Only Available for Models w/ Hydraulic Brakes

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

### PERFORMANCE



PERFURMANCE	t° j
Max. Forward Speed	15 mph - 18 mph* (24 kph - 30 kph)*
Max. Reverse Speed	5 mph (8 kph)
	Lead-Acid Battery Package
	37 mi (60 km) **
Dange	Lithium Battery Package (10.8 kWh)
Range	55.9 mi (90 km) **
	Lithium Battery Package (5.4 kWh)
	24,8 mi (40 km) **
Max. Gradeability	25%
	Lead-Acid Battery Package
	80% - 6 hrs
	100% - 8 hrs
	Lithium Battery Package (10.8 kWh)
Charge Time	80% - 4 hrs
	100% - 6 hrs

80% - 2 hrs 100% - 3 hrs


9.8 ft (3 m)

Lithium Battery Package (5.4 kWh)

### 

**Turning Radius** 

### **GENERAL**



**Towing Capacity** 

18 x 8.5-8 (6-ply Turf tyres) **Tyre Dimensions** 20.5 x 8-10 (6 ply)

### **DIMENSIONS**

Standard Vehicle w/o Options



Length	109.2 in (2775 mm)
Width	53.5 in (1360 mm)
Height	79.3 in (2015 mm)* 48 in (1200 mm)**
Wheelbase	64.5 in (1640 mm)
Ground Clearance	4.3 in (110 mm)

<sup>\*</sup> w/ Suntop

### WARRANTY



2 years full warranty (Except wearable items) 5 years limited warranty (Motor and motor Warranty control unit)

70% performance @ min. 4000 cycles for

lithium battery package

<sup>\*</sup> Standard Vehicle w/ batteries

<sup>\*\*</sup> w/o Suntop





### LITHIUM BATTERY PACK

Longer range, shorter



### REGENERATIVE BRAKING SYSTEM

Increase of efficiency in energy consumption



### 50 mi (80 km) RANGE

50 mi (80 km) range with full charge



SOLID & AESTHETIC

With the dynamic and elegant design, all eyes are on you






### AC MOTOR

Clean environment, high performance





### THE PATH TO FREEDOM

The PC-H is the perfect travelling companion with its integrated wheelchair system.

With PC-H, every journey brings you freedom and independence.



### POWER

ELECTRIC-48 V (AC)



Motor Power	AC - 6 kW (8.20 hp) Rated 12.46 kW (16.95 hp) Peak - 10 kW (13.60 hp) Rated 22.43 kW (30.50 hp) Peak
Battery	- Lead-Acid Battery Package 8x6V (11.52 kWh) - Lithium Battery Package (10.8 kWh)
Charge Unit	Lead-Acid Battery Package Onboard Charge Unit 110-220 VAC@8 1A/48V Lithium Battery Package 3.3 kW Onboard Charge Unit 85-265 VAC@16A 40A/48V
Motor Control Unit	<b>AC</b> CURTIS (450 A-600 A)

### STEERING & SUSPENSION SYSTEM



Steering	Reduced rotating, self-compensating, no need of lubricating rack and pinion type helical gear steering box
Suspension Front	Fully independent MacPherson style strut suspension
Suspension Rear	Semi independent leaf springs w/dual hydraulic shocks

### **BRAKE SYSTEM**



Service Brake	Self adjusting mechanical, rear wheel drum brakes and regenerative braking  Option: 4-wheel hydraulic drum brake system
Dauldin a Duales	Foot actuated multi-lock parking brake
Parking Brake	Option: Electromagnetic parking brake*

<sup>\*</sup> Only Available for Models w/ Hydraulic Brakes

### **BODY & CHASSIS**



Body	Naturally colored Thermoplastic ABS White, Midnight Blue, Red, Black, Gray
Chassis	Automotive style steel frame with high corrosion resistance Sanding /E-coating/ Static Wet Paint

### **GENERAL**



Curb Weight	Lead-Acid Battery Package: 1624 lb (737 kg) * Lithium Battery Package: 1327 lb (602 kg) *
Passenger Capacity	1+3 Passenger 1+5 Passenger Wheelchair
Load Capacity	1543 lb (700 kg)
Towing Capacity	3306 lb (1500 kg)
Tyre Dimensions	20.5 x 8-10 (6 ply)

<sup>\*</sup> Standard Vehicle w/ batteries

### PERFORMANCE



	· ·
May Farward Speed	15 mph - 22 mph*
Max. Forward Speed	(24 kph - 35 kph)*
Max. Reverse Speed	5 mph (8 kph)
Range	Lead-Acid Battery Package: 50 mi (80 km) **
	Lithium Battery Package: 50 mi (80 km) **
Max. Gradeability	25%
	Lead-Acid Battery Package
	80% - 7 hrs
Charge Time	100% - 9 hrs
Charge Time	Lithium Battery Package
	80% - 4 hrs
	100% - 6 hrs
Turning Radius	18.3 ft (5.6 m)

<sup>\*</sup> Adjustable \*\* EU:134/2014

### **DIMENSIONS**





Length	159.4 in (4050 mm)
Width	50.5 in (1285 mm)
Height	78.7 in (2000 mm)* 48 in (1220 mm)**
Wheelbase	130.7 in (3320 mm)
Ground Clearance	5.6 in (143 mm)

<sup>\*</sup> w/ Suntop

### WARRANTY



### Warranty

2 years full warranty (Except wearable items) 5 years limited warranty (Motor and motor control unit) 70% performance @ min. 4000 cycles for lithium battery package

<sup>\*\*</sup> w/o Suntop










Polycarbon Foldable Windshield



Windshield Wiper



Extended Suntop



Aluminum Cargo Box



Suntop



Rear View Mirrors



Side View Mirrors



Sport Steering Wheel



Stretcher



Thermoplastic Cargo Box



Security Glass Windshield



Windshield Wash System




Facelift Front Body



Driver Protection Steel Plate

### COLOR OPTIONS



Midnight Blue



Red Black







Standard LED Lighting System



Halogen Driving Lights



LED Driving Lights



Digital Vehicle-Info Screen



Electric Powered Steering System



USB 12V Input



External Heater



Waterproof Stereo-System



LED Beacon Light - Amber



Auxiliary LED Light



Charger with External Display



LED Beacon Light - Red & Blue



Fire Extinguisher



Automatic Battery Watering System



Lithium Battery Package



Golf Type Seat - Carbon Black



Golf Type Seat - Tobacco Colored



Golf Type Seat - Burgundy



Golf Type Seat - Mocha Brown



Premium Seat - Tobacco Colored Premium Seat - Carbon Black





Premium Seat - Burgundy



Tow-hitch



Side Step



Front Brush Guard



Lift Kit

On-road Tyres & 10" Aluminum Wheels



Off-road Tyres & Wheels

Turf Tyres

# CARGO



3-Side Open Aluminum Cargo Box



Mesh Style Sided Steel Cargo Box



Closed Cargo Box




Gastrocar

o Roy



Refrigerated Cargo Box







Golf Bag Cover



Sand Box



Cool Box



BODY	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Suntop	√	√	√	√	√	√
Extended Suntop (1)	<b>√</b>	√				
Security Glass Windshield	<b>√</b>	√	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>
Polycarbon Foldable Windshield	<b>√</b>	√	√	√	√	√
Rear View Mirrors	<b>√</b>	√	<b>√</b>	<b>√</b>	√	√
Side View Mirrors	<b>√</b>	√	√	√	√	√
Windshield Wiper (2)	<b>√</b>	√	√	<b>√</b>	<b>√</b>	√
Windshield Wash System (3)	<b>√</b>	√	√	√	√	√
Foldable Rear Seat	<b>√</b>	√	<b>√</b>			<b>√</b>
Thermoplastic Cargo Box	<b>√</b>	√	√			√
Aluminum Cargo Box (1100 x 1000 x 400)	<b>√</b>	√	<b>√</b>			√
Aluminum Cargo Box (1100 x 7000 x 400)	<b>√</b>	√	√			√
Sport Steering Wheel	<b>√</b>	<b>√</b>	<b>√</b>	√	√	<b>√</b>
Facelift Front Body	<b>√</b>	√	√	√	<b>√</b>	√
<b>Driver Protection Steel Plate</b>				<b>√</b>		
Stretcher					<b>√</b>	
CARGO	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
3-Side Open Aluminum Cargo Box				√		
Closed Cargo Box				√		
Mesh Style Sided Steel Cargo Box				√		
Gastrocar				√		
Refrigerated Cargo Box				√		

TECHNOLOGY & SAFETY	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Standard LED Lighting System	√	√	√	√	√	√
Halogen Driving Lights (4)	<b>√</b>	√	√	√	√	√
LED Driving Lights (5)	√	√	√	√	√	√
Auxiliary LED Light	<b>√</b>	<b>√</b>	√	√	√	<b>√</b>
Digital Vehicle-Info Screen (6)	√	√	√	√	√	√
LED Beacon Light - Amber	√	<b>√</b>	<b>√</b>	√		√
LED Beacon Light - Red & Blue	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>		√
Waterproof Stereo-System	<b>√</b>	<b>√</b>	<b>√</b>	√		√
Fire Extinguisher	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√
USB 12V Input	<b>√</b>	<b>√</b>	<b>√</b>	√	√	<b>√</b>
Charger with External Display	√	<b>√</b>	√	√	√	√
External Heater	<b>√</b>	<b>√</b>	<b>√</b>	√	√	√
Automatic Battery Watering System	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	√
Lithium Battery Package (10.8 kWh)	√	<b>√</b>	<b>√</b>	√	√	√
Lithium Battery Package (5.4 kWh)	√	<b>√</b>				
Electric Power Steering System	<b>√</b>	<b>√</b>	<b>√</b>	√	√	√
SEAT	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Golf Type Seat - Carbon Black	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>		<b>√</b>
Golf Type Seat - Mocha Brown	√	<b>√</b>	√	√		<b>√</b>
Golf Type Seat - Tobacco Colored	√	√	√	√		<b>√</b>
Golf Type Seat - Burgundy	√	√	√	√		<b>√</b>
Premium Seat - Carbon Black (7)	√	<b>√</b>	√	√	√	<b>√</b>
Premium Seat - Tobacco Colored (7)	<b>√</b>	√	√	√	√	√
Premium Seat - Burgundy (7)	√	√	√	√		√

OFF-ROAD EQUIPMENT	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Lift Kit (3")	√	√				
Lift Kit (6")	<b>√</b>	√		√		
Front Brush Guard	<b>√</b>	√	√	<b>√</b>	<b>√</b>	<b>√</b>
Side step (8)	<b>√</b>	<b>√</b>		<b>√</b>		
Tow-hitch (9)	<b>√</b>	√	√	<b>√</b>		<b>√</b>
GOLF EQUIPMENT	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
Golf Basket and Bag Holder	<b>√</b>					
Cool Box	<b>√</b>					
Sand Box	<b>√</b>					
Golf Bag Enclosure	<b>√</b>					
TYRES & WHEELS	PC-2	PC-4	PC-6	PC-W	PC-A	PC-H
On-road Tyres & 10" Aluminum Wheels	<b>√</b>	√	√	<b>√</b>	<b>√</b>	<b>√</b>
Off-road Tyres & Wheels (10)	<b>√</b>	<b>√</b>		<b>√</b>		
Turf Tyres	√	√			√	

### INFORMATION

- 1- Extended Suntop Available Only w/ Rear Foldable Seat
- 2- Windshield Wiper Available Only w/ Security Glass Windshield
- **3- Windshield Wash System** Available Only w/ Facelift Front Body
- 4- Halogen Driving Lights w/ LED DRL (Daytime Running Lights)
- 5- LED Driving Lights w/ LED DRL (Daytime Running Lights)
- **6- Digital Vehicle-Info Screen** Available Only w/ Lighting System
- **7- Premium Seat** w/ 2-point seatbelt
- 8- Side step Available Only w/ lift kit
- 9- Tow-hitch Not Available w/ foldable rear seat option
- 10- Off-road Tyres & Wheels Available Only w/ lift kit

PILOTCAR reserves the right to make changes to this table.



### OUR INNOVATIONS TURNS INTO OUR

If you are to add innovation to your life, all the details of it should be thought

Every PILOTCAR vehicle that we have been producing since 2011 is manufactured on the basis of high technology, advanced technical integrated

To offer you comfort and unsurpassed quality as a work of perfectionist

THAT'S WHAT PILOTCAR WAS MADE FOR!

### **WARRANTY**



Our 24/7 team of experts is there for you if necessary!



5-year warranty on motor and control unit



2-year full warranty

### **TRUST**









ISO 14001:2015 ISO 9001:2015 ISO 45001:2015



### **INFORMATION**

All vehicles are designed for recreational areas. Please read the user manual carefully.

\*\*\* This catalog is for promotional purposes only, the information provided is subject to change without notice.

### **AUTHORIZED SERVICES**



For our dealers and authorized services:

www.pilotcar.com.tr





### **FACTORY IN TÜRKİYE**

Telephone: +90 224 411 02 86 – 87 Fax: +90 224 411 05 34 Address: Nilüfer Organize Sanayi Bölgesi N113 Sokak No: 3 Nilüfer / BURSA-TÜRKİYE e-mail: info@pilotcar.com.tr

### **FACTORY IN USA**

Telephone: +1 (239) 243 80 23 Fax: +1 (239) 349 26 10 Address: 6293 Thomas Rd. Fort Myers FL 33912, USA e-mail: sales@pilotcarev.com